

Application Serial Number 10/575,773
Response to Office Action
Dated May 9, 2008

RECEIVED
CENTRAL FAX CENTER
MAY 28 2008

2. Amendments to the Claims:

A listing of the entire set of pending claims (including amendments to the claims, if any) is submitted herewith per 37 CFR 1.121. This listing of claims will replace all prior versions, and listings, of claims in the application.

Listing of Claims:

1. (Previously Presented) A data processing device for receiving an input stream of first data samples at a first rate and for generating an output stream of second data samples at a higher second rate by inserting additional data samples generated from said first data samples, said device comprising:

a) means for storing a predetermined one of said first data samples; and
b) means for adjusting the timing of said output stream, said time adjusting means comprising:

b1) means for skipping first predetermined ones of said second data samples derived from said stored predetermined one of said first data samples; and

b2) means for replacing second predetermined ones of said second data samples following said skipped first predetermined ones of said second data samples by new second data samples derived from said stored predetermined one of said first data samples.

2. (Previously Presented) A device according to claim 1, wherein said data processing device is an interpolation filter in which said second data samples are obtained by successively multiplying each of said first data samples by a set of filter coefficients, and by adding an obtained result of multiplication at a predetermined filter stage to a delayed result of the preceding filter stage, wherein said delayed result has been delayed by a delay time corresponding to a time period of said first rate.

Application Serial Number 10/575,773
Response to Office Action
Dated May 9, 2008

3. (Original) A device according to claim 2, wherein said skipped first predetermined ones of said second data samples are skipped at each filter stage and are derived from a result of multiplication of said stored predetermined one of said first data samples with respective starting ones of said set of filter coefficients, said replaced second predetermined ones of said second data samples are replaced at a predetermined filter stage and are derived from a result of multiplication of a predetermined number of first data samples following said stored predetermined one of said first data samples with the respective starting one of said set of filter coefficients, and said new second data samples are derived from a result of multiplication of said stored predetermined one of said first data samples with the respective starting ones of said set of filter coefficients of other filter stages different from said predetermined filter stage.
4. (Previously Presented) A device according to claims 3, further comprising first switching means for supplying said stored predetermined one of said first data samples to a multiplying means of said predetermined filter stage.
5. (Previously Presented) A device according to claim 4, further comprising second switching means for intermittently supplying said respective starting ones of said set of filter coefficients of said other filter stages and said set of filter coefficients of said predetermined stage to said multiplying means of said predetermined stage.
6. (Previously Presented) A device according to any one of claim 2, further comprising third switching means for successively supplying said set of filter coefficients to multiplying means of said other filter stages.
7. (Previously Presented) A device according to any one of the preceding claims, further comprising fourth switching means for connecting an input terminal of said data processing device to a zero data value so as to introduce a predetermined delay to said second data samples.

Application Serial Number 10/675,773
Response to Office Action
Dated May 9, 2008

8.(Original) A method of adjusting the timing of a higher-rate stream of second data samples derived from a lower-rate stream of first data samples, said method comprising the steps of:

- a) storing a predetermined one of said first data samples;
- b) skipping first predetermined ones of said second data samples derived from said stored predetermined one of said first data samples; and
- c) replacing second predetermined ones of said second data samples following said skipped first predetermined ones of said second data samples by new second data samples derived from said stored predetermined one of said first data samples.